DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

USGS Branch of Petroleum Geology Bibliography
1989

Helen Colburn
Compiler

Open-File Report 90-674

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards (or with the North American Stratigraphic Code). Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

 $^{^{1}}$ Denver, Colorado

BRANCH OF PETROLEUM GEOLOGY

BIBLIOGRAPHY 1989

- (0) Agena, W.F., Lee, M.W., and Grow, J.A., 1989, Reprocessing of the COCORP data recorded across the Wichita Mountain uplift and the Anadarko basin in southern Oklahoma: U.S. Geological Survey Open-File Report 89-357, 20 p.
- (A) Agena, W.F., Lee, M.W., Hamilton, R.M., and McKeown, F.A., 1989, Extended cross-correlation methods for deep crustal studies--A case study of the New Madrid area [abs.]: EOS Transactions, American Geophysical Union, v. 70, no, 15, p. 466-467.
- (P) Anders, D.E., and Hite, R.J., 1989, The geochemistry of evaporites and associated petroleum in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 53-58.
- (A) Ball, M.M., 1989, Continental dynamics in the eastern Gulf of Mexico (Florida and the western Florida shelf): Geological Society of America Abstracts with Programs, v. 21, no. 6, pt. 1, A82.
- (A) Ball, M.M., Martin, R.G., Foote, R.Q., and Applegate, A.L., 1989,
 Reassessment of the tectonic style and crustal character in
 the foundation of south Florida and the western Florida shelf
 [abs.]: American Association of Petroleum Geologists Bulletin,
 v. 73, no. 3, p. 330.
- (P) Barker, C.E., 1989, Temperature and time in the thermal maturation of sedimentary organic matter, in Naeser, N.D., and McCulloh, T.H., eds., Thermal history of sedimentary basins—Methods and case histories: New York, Springer-Verlag, Inc., p. 74-98.
- (P) Barker, C.E., 1989, Review of "Cathodoluminescence of Geological Materials," by D.J. Marshall: Society of Luminescent Microscopy and Spectroscopy Newsletter, v. 1, no. 1, p. 3-4.
- (P) Barker, C.E., 1989, Techniques in luminescence microscopy: Society of Luminescent Microscopy and Spectroscopy Newsletter, v. 1, no. 2, 6 p.
- (P) Barker, C.E., 1989, Fluid inclusion evidence for paleotemperatures within the Mesaverde Group, Multiwell Experiment site, Piceance basin, Colorado, Chapter M, in Law, B.E., and Spencer, C.W., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. M1-M11.

⁽P) Published Paper; (O) Open-File Report; (A) Abstract; (M) Map; (V) Video

- (P) Barker, C.E., 1989, Rock-Eval analysis of sediments and ultimate analysis of coal, Mesaverde Group, Multiwell Experiment site, Piceance basin, Colorado, Chapter N, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. N1-N11.
- (P) Barker, C.E., 1989, Geothermics applied to the reconstruction of subsurface temperature, in Magoon, L.B., ed., Petroleum system—Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 36-42.
- (0) Barker, C.E., and Coury, A.B., 1989, Abstracts of the U.S. Geological Survey 1989 Poster Review—Collected abstracts of selected poster papers presented at scientific meetings: U.S. Geological Survey Open-File Report 89-644, 26 p.
- (A) Barker, C.E., and Crysdale, B.L., 1989, Stabilization of kerogen thermal maturation—Evidence from geothermometry and burial history reconstruction, Niobrara Limestone, Berthoud oil field, western Denver basin, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 74, no. 5, p. 605.
- (A) Barker, C.E., and Dalziel, M.C., 1989, Using cathodoluminescence to map regionally zoned carbonate cements occurring in diagenetic aureoles above some oil reservoirs, Midcontinent area, U.S.A. [abs.]: England, University of Manchester, Research Conference "Theoretical Aspects and Practical Applications of Cathodoluminescence" Proceedings Volume, unpaged.
- (A) Barker, C.E., and Pawlewicz, M.J., 1989, Vitrinite reflectance evidence for the thermal history of the Permian basin, New Mexico and Texas, USA [abs.]: 28th International Geological Congress, Washington, D.C., July 9-19, 1989.
- (A) Barker, C.E., and Pawlewicz, M.J., 1989, Renewed petroleum generation related to Tertiary intrusions and increased heat flow, western Permian basin, Texas and New Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 331.
- (P) Behrendt, J.C., Green, A.G., Lee, M.W., Hutchinson, D.R., Cannon, W.F., Milkereit, B., Agena, W.F., and Spencer, C., 1989, Crustal extension in the Midcontinent Rift system--results from GLIMPCE deep seismic reflection profiles over Lake Superior and Michigan, in Mereu, R.F., and Fountain, D.M., eds., Properties and processes of Earth's lower crust: IUGG 6, American Geophysical Union, Geophysical Monogram 51, p. 81-89.

- (A) Behrendt, J.C., Hutchison, D.R., Lee, M.W., Trehu, A., Thornber, C.R., Cannon, W., and Green, A., 1989, Seismic reflection (GLIMPCE) evidence of deep crustal and upper mantle intrusions and magmatic underplating associated with the Midcontinent Rift system of North America [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 15, p. 272.
- (P) Bird, K.J., 1989, North American fossil fuels, <u>in</u> Bally, A.W., and Palmer, A.R., eds., The Geology of North America—An overview: Geological Society of America, The Geology of North America, v. A, p. 555-573.
- (P) Bird, K.J., 1989, Testimony regarding the petroleum potential of the Arctic National Wildlife Refuge at the oversight hearing held 23 June 1987 before the Subcommittee on Water and Power Resources of the Committee on Interior and Insular Affairs, House of Representatives, One Hundredth Congress: Washington, D.C., U.S. Government Printing Office, Serial No. 100-52, Part III, p. 39-49.
- (P) Burruss, R.C., Ging, T.G., and Carlson, Dennis, 1989, Raman microprobe observations of carbon and oxygen stable isotopes in geologic materials: Microbeam Analytical Society, Microbeam Analysis 1989, p. 173-175.
- (P) Burruss, R.C., and Hatch, J.R., 1989, Geochemistry of oils and hydrocarbon source rocks, Greater Anadarko basin--Evidence for multiple sources of oils and long-distance oil migration, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 53-64.
- (0) Butler, W.C., 1989, The rationale for assessment of undiscovered, economically recoverable oil and gas in south-central New Mexico--A geologic overview and play analysis of two favorable areas: U.S. Geological Survey Open-File Report 88-450-B, 134 p.
- (0) Butler, W.C., 1989, The geologic setting of southern Arizona and southwestern New Mexico, with a rationale for assessment of undiscovered, economically recoverable oil and gas--A summary of four potential plays: U.S. Geological Survey Open-File Report 88-450-M, 154 p.
- (P) Cannon, W.F., Green, A.G., Hutchinson, D.R., Lee, M.W., Milkereit, Bernd, Behrendt, J.C., Halls, H.C., Green, J.C., Dickas, A.B., Morey, G.B., Sutcliffe, Richard, and Spencer, C., 1989, The North American Midcontinent Rift beneath Lake Superior from GLIMPCE seismic reflection profiling: Tectonics, v. 8, no. 2, p. 305-332.
- (A) Cannon, W.F., Lee, M.W., Hinze, W.J., and Green, A.G., 1989, Seismic image of Precambrian crust beneath northern Lake Michigan [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 15, p. 277.

- (P) Charoen-Pakdi, D., and Fox, J.E., 1989, Petrography and petrophysics of Upper Cretaceous Turner Sandy Member of the Carlile Shale at Todd field (eastern Powder River basin, Wyoming), in Coalson, E.B., and others eds., Petrogenesis and petrophysics of selected sandstone reservoirs of the Rocky Mountain region: Rocky Mountain Association of Geologists, Sandstone Reservoirs--1989, p. 235-244.
- (0) Charpentier, R.R., 1989, A statistical analysis of the larger Silurian reefs in the northern part of the Lower Peninsula of Michigan: U.S. Geological Survey Open-File Report 89-216, 34 p.
- (P) Charpentier, R.R., Law, B.E., and Prensky, S.E., 1989, Quantitative model for overpressured gas resources of the Pinedale anticline, Wyoming, Chapter I, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. I1-I13.
- (P) Claypool, G.E., and Mancini, E.A., 1989, Geochemical relationships of petroleum in Mesozoic reservoirs to carbonate source rocks of Jurassic Smackover Formation, southwestern Alabama: American Association of Petroleum Geologists Bulletin, v. 73, no. 7, p. 904-924.
- (P) Clayton, J.L., 1989, Geochemical evidence for Paleozoic oil in Lower Cretaceous O Sandstone, northern Denver Basin: American Association of Petroleum Geologists Bulletin, v. 73, no. 8, p. 977-988.
- (P) Clayton, J.L., 1989, Role of kinetic modeling in petroleum exploration, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 43-45.
- (P) Clayton, J.L., 1989, Biological marker chemistry as indicator of depositional environment of source rocks and crude oil, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 46-48.
- (P) Clayton, J.L., 1989, Sulfur in source rocks and petroleum, <u>in</u> Magoon, L.B., ed., Petroleum systems--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 49-52.
- (A) Clayton, J.L., and Daws, T.A., 1989, Thermal maturation and oil generation history of Pennsylvanian (Desmoinesian) black shales of the Powder River and northern Denver basins [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1151.
- (A) Clayton, J.L., and Gries, R.R., 1989, Petroleum geochemistry of the San Juan Sag, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1151.

- (A) Clayton, J.L., Rice, D.D., and Anders, D.E., 1989, Characterization of coal-derived hydrocarbons and oil-generation potential of some North American coals: 14th International Meeting on Organic Geochemistry, Paris, France, September 18-22, Program with Abstracts, p. 243.
- (P) Collett T.S., Bird, K.J., Kvenvolden, K.A., and Magoon, L.B., 1989,
 The origin of natural gas hydrates on the North Slope of Alaska,
 in Dover, J.H., and Galloway, J.P., eds., Geologic studies in
 Alaska by the U.S. Geological Survey, 1988: U.S. Geological
 Survey Bulletin 1903, p. 3-9.
- (A) Collett, T.S., Bird, K.J., Kvenvolden, K.A., and Magoon, L.B., 1989, Gas hydrates of Arctic Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 345-346.
- (M) Collett, T.S., Bird, K.J., Kvenvolden, K.A., and Magoon, L.B., 1989, Map showing the depth to the base of the deepest ice-bearing permafrost as determined from well logs, North Slope, Alaska: U.S. Geological Survey Oil and Gas Investigation Map OM-222, scale 1:1,000,000, 1 sheet.
- (A) Collett, T.S., and Kvenvolden, K.A., 1989, Distribution and origin of permafrost associated gas hydrates in northern Alaska [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 43, p. 1151.
- (P) Collett, T.S., and Kvenvolden, K.A., 1989, Natural gas hydrates, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 72-73.
- (A) Crovelli, R.A., 1989, Probabilistic methodology for national assessment of undiscovered petroleum resources: International Association for Mathematical Geology, Mathematical Geologists of the United States, and Delaware Geological Survey, 18th Geochautauqua Delaware—Mineral resource assessment "Integrated approaches," Newwark, University of Delaware, October 13-14, Program and Abstracts, p. 14.
- (A) Crovelli, R.A., 1989, Triangular distribution methodology for oil and gas resource assessment [abs.]: The Operations Research Society of America and the Institute of Management Sciences, ORSA/TIMS 1989 Joint National Meeting, New York City, October 16-18, Bulletin, no. 28, p. 51.
- (P) Crovelli, R.A., 1989, Quantitative petroleum resource assessment methodologies, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 74-78.

- (A) Crovelli, R.A., and Balay, R.H., 1989, Microcomputer software for energy assessment and aggregation using the triangular probability distribution [abs.]: COGS Computer Contributions, v. 5, no. 3, p. 109.
- (P) Crovelli, R.A., and Balay, R.H., 1989, Microcomputer software for energy assessment and aggregation using the triangular probability distribution, in Denver GeoTech '89, Geoscientific information systems applied to exploration and research: Denver GeoTech, Inc., p. 201-208.
- (P) Crovelli, R.A., and Balay, R.H., 1989, A microcomputer application in oil and gas resource appraisal, in Peters, D.C., and Krajewski, S.A., eds., GeoTech '88 Geocomputing tools--PC's, workstations and more: The Colorado Section of the American Institute of Professional Geologists, p. 31-36.
- (0) Crovelli, R.A., and Balay, R.H., 1989, FASPUE English version—Analytic petroleum resource appraisal microcomputer programs for play analysis using a reservoir—engineering model: U.S. Geological Survey Open—File Report 89-1—A, 17 p. [Diskette, Open—File Report 89-1—B].
- (0) Crovelli, R.A., and Balay, R.H., 1989, TRIAGG: Triangular probability distribution aggregation for petroleum resource assessment: U.S. Geological Survey Open-File Report 89-493-A, 32 p. [Diskette, Open-File Report 89-493-B].
- (A) Crysdale, B.L., and Barker, C.E., 1989, Use of comparative geothermometry to reconstruct burial history and timing of oil generation and migration in Niobrara Formation, Berthoud State 4 well, Denver basin, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1152.
- (0) Davis, L.E., Dyman, T.S., Webster, G.D., and Schwarz, D., 1989, Measured stratigraphic sections of West Canyon Limestone and equivalent strata (Upper Mississippian-Middle Pennsylvanian), Lower Oquirrh Group, northern Utah and southeastern Idaho: U.S. Geological Survey Open-File Report 89-292, 47 p.
- (P) Dickinson, W.W., 1989, Analysis of vitrinite maturation and Tertiary burial history, northern Green River basin, Wyoming, Chapter F, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. F1-F17.
- (P) Dyman, T.S., 1989, Quantitative petrographic analysis of Desmoinesian sandstones from Oklahoma, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 162-175.

- (P) Dyman, T.S., 1989, Statistical analysis of compositional data from Desmoinesian sandstones in Oklahoma: U.S. Geological Survey Bulletin 1866-B, p. B1-B12.
- (A) Dyman, T.S., Perry, W.J., Jr., Nichols, D.J., Davis, L.E., and Haley, J.C., 1989, Stratigraphy, petrology, and provenance of the Cenomanian to Turonian Frontier Formation near Lima and Monida in southwest Montana [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 352.
- (P) Dyman, T.S., Perry, W.J., Jr., Nichols, D.J., Davis, L.E., and Haley, J.C., 1989, Stratigraphy, petrology, and provenance of the Cenomanian to Turonian Frontier Formation near Lima, southwestern Montana, in French, D.E., and Grabb, R.F., eds., Geologic resources of Montana, Volume I: Montana Geological Society 1989 Field Conference Guidebook--Montana Centennial Edition, p. 103-114.
- (A) Dyni, J.R., Anders, D.E., and Rex, R.C., Jr., 1989, Comparison of hydroretorting assay, Rock Eval, and Fischer assay analyses of some world oil shales: Eastern Oil-Shale Symposium, November 1989, Abstracts.
- (A) Flores, R.M., Dyman, T.S., Weaver, J.N., and Tysdal, R.G., 1989, Cretaceous fluvio-lacustrine facies of Upper Kootenai Formation and Flood Member of Blackleaf Formation, southwestern Montana [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1155.
- (0) Fox J.E., and Dolton, G.L., 1989, Petroleum geology of the Bighorn and Wind River basins, Wyoming and Montana: U.S. Geological Survey Open-File Report 87-450-P, 47 p.
- (P) Gautier, D.L., Mast, R.F., and Dolton, G.L., 1989, Update on estimates of undiscovered oil and gas resources in the United States: U.S. Geological Survey Yearbook Fiscal Year 1988, p. 54-56.
- (P) Gautier, D.L., and Schmoker, J.W., 1989, Evaluation of sandstone porosity from thermal maturity information, in Hutcheon, I.E., ed., Short course in burial diagenesis: Mineralogical Association of Canada Short Course Handbook, p. 135-160.
- (P) Graham, S.A., Stanley, R.G., Bent, J.V., and Carter J.B., 1989, Oligocene and Miocene paleogeography of central California and displacement along the San Andreas fault: Geological Society of America Bulletin, v. 101, no. 5, p. 711-730.
- (P) Green, A.G., Cannon, W.F., Milkereit, B., Hutchinson, D.R., Davidson, A., Behrendt, J.C., Spencer, C., Lee, M.W., Morel-a-l'Huissier, P., and Agena, W.F., 1989, GLIMPCE of the deep crust beneath the Great Lakes, in Mereu, R.F., and Fountain, D.M. eds., Properties and processes of Earth's lower crust: IUGG 6 American Geophysical Union, Geophysical Monogram 51, p. 65-80.

- (A) Gries, R.R., and Clayton, J.L., 1989, Source rock maturation, San Juan Sag [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1158.
- (A) Hamilton, R.M., and Agena, W.F., 1989, Seismic-wave attenuation and velocity anomalies in the New Madrid seismic zone: Geological Society of America Abstracts with Programs, v. 21, no. 6, pt. 1, A185.
- (P) Harding, S.T., Agena W.F., Nichols, D.J., and Lee, M.W., 1989, Small-boat, multi-channel, high-resolution and seismicreflection survey in Puget Sound and the Strait of Juan de Fuca: 21st Annual Technology Conference, OTC 5934, p. 593-598.
- (P) Hatch, J.R., King, J.D., and Daws, T.A., 1989, Geochemistry of Cherokee Group oils of southeastern Kansas and northeastern Oklahoma: Kansas Geological Survey, Subsurface Geology Series, no. 11, 20 p.
- (A) Hayes, T.S., Burruss, R.C., Palmer, J.R., and Rowan, E.L., 1989, UV fluorescence of hydrothermal dolomite of the Ozark regional Mississippi Valley-type ore system: Geological Society of America Abstracts with Programs, v. 21, no. 6, pt. 1, A3.
- (A) Hester, T.C., Schmoker, J.W., and Sahl, H.L., 1989, Regional depositional trends and organic-carbon content of the Woodford shale, Anadarko basin, Oklahoma, based on gamma-ray, density, and resistivity logs: Geological Society of America Abstracts with Programs, v. 21, no. 1, p. 14.
- (A) Higley, D.K., 1989, Comparison of sandstone diagenesis and reservoir development within two Lower Cretaceous J Sandstone fields, Denver basin, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1160.
- (P) Higley, D.K., and Schmoker, J.W., 1989, Influence of depositional environment and diagenesis on regional porosity trends in the Lower Cretaceous J sandstone, Denver basin, Colorado: Rocky Mountain Association of Geologists Special Publication, Sandstone Reservoirs--1989, p. 183-196.
- (P) Hosterman, J.W., and Meyer, R.F., 1989, Chemistry and resources of heavy oil and natural bitumen deposits in Meyer, R.F., and Wiggins, E.J., eds., UNITAR/UNDP International Conference on Heavy Crude and Tar Sands, 4th, Edmonton, August 1988, Proceedings, v. 2, Geology, Chemistry: Edmonton, Alberta, Canada, Alberta Oil and Sands Technology and Research Authority, p. 251-256.
- (P) Howell, D.G., 1989, Tectonics of suspect terranes; mountain building and continental growth: London/New York, Chapman and Hall, Topics in Earth Sciences 3, 232 p.

- (A) Howell, D.G., Desegaulx, P., and Roure, F., 1989, A comparison between decollement levels and thin and thick skinned thrusting in the central Brooks Range and the western Alps [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 43, p. 1338.
- (P) Howell, D.G., and Jones, D.L., 1989, Terrane analysis, a Circum-Pacific overview, in Zvi Ben-Auraham, ed., The evolution of the Pacific Ocean margins: New York, Oxford University Press, p. 36-40.
- (V) Howell, D.G., and Swinchatt, J.P., 1989, Where continents collide, pt. 1: Earth Visions, Inc., 46-minute video.
- (A) Huffman, A.C., Jr., and Taylor, D.J., 1989, San Juan basin faulting--more than meets the eye [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1161.
- (P) Hutchinson, D.R., and Lee, M.W., 1989, Processing and attenuation of noise in deep seismic-reflection data from the Gulf of Maine:
 Marine Geophysical Researches, v. 11, no. 1, p. 51-67.
- (A) Hutchinson, D.R., Lee, M.W., Behrendt, J.C., Cannon, W.F., and Green, A.G., 1989, True-amplitude processing of GLIMPCE seismic reflection data; interpretation [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 15, p. 278.
- (P) Isaacs, C.M., 1989, Field trip guide to the Miocene Monterey Formation, Salinas and Santa Barbara areas, California, in Blueford, J.R., and Isaacs, C.M., eds., Mesozoic and Cenozoic siliceous sediments of California: 28th International Geologic Congress Field Trip Guidebook T109, American Geophysical Union, p. 21-50.
- (A) Isaacs, C.M., 1989, Compositional facies analysis and lithostratigraphic problems in the Monterey Formation, south-central coastal basins of California [abs.]: Japan-U.S. Seminar on Neogene Siliceous Sediments of the Pacific Region, Syllabus and Field Trip Guidebook, p. 83-84.
- (0) Isaacs, C.M., Jackson, L.L., Stewart, K.C., and Scott, Norman, 1989, Analytical reproducibility and abundances of major oxides, total carbon, organic carbon, and sedimentary components of Miocene and early Pliocene cuttings from the Point Conception deep stratigraphic test well, OCS-CAL 78-164 No. 1, offshore Santa Maria basin, southern California: U.S. Geological Survey Open-File Report 87-75, 28 p.
- (0) Isaacs, C.M., Taggart, J.E., Jr., Jackson, L.L., and Scott, Norman, III, 1989, Analytical reproducibility and abundances of major elements and sedimentary components in cores from the Sisquoc, Monterey, and Point Sal Formations, Union Newlove 51 Well, Orcutt oil field, onshore Santa Maria basin, California: U.S. Geological Survey Open-File Report 89-459, 23 p.

- (A) Keighin, C.W., 1989, Petrology and reservoir properties of Point Lookout Sandstone, Southern Ute Indian Reservation, La Plata County, Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1163.
- (P) Keighin, C.W., and Flores, R.M., 1989, Depositional facies, petrofacies, and diagenesis of siliciclastics of Morrow and Springer rocks, Anadarko basin Oklahoma, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 147-161.
- (A) Keighin, C.W., and Flores, R.M., 1989, Analysis of sedimentary facies and petrofacies of lower Morrowan-upper Chesterian sandstones, Anadarko basin, Oklahoma [abs.], in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 236-239.
- (P) Keighin, C.W., Law, B.E., and Pollastro, R.M., 1989, Petrology and reservoir characteristics of the Almond Formation, Greater Green River basin, Wyoming, in Coalson, E.B., and others, eds., Petrogenesis and petrophysics of selected sandstone reservoirs of the Rocky Mountain region: Rocky Mountain Association of Geologists, Sandstone Reservoirs--1989, p. 281-348.
- (A) Keighin, C.W., and Schenk, C.J., 1989, Diagenesis of fluvial sands in the Norphlet Formation (Upper Jurassic), Escambia County, Alabama [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 371.
- (M-0) Kelley, J.S., and Molenaar, C.M., 1989, Geologic map of the north flank of the Sadlerochit Mountains, Mount Michelson C-1, C-2, and C-3 quadrangles, northeastern Alaska: U.S. Geological Survey Open-File Report 89-0011, 1 over-size sheet.
- (A) Klemme, H.D., and Ulmishek, G.F., 1989, Depositional controls, distribution, and effectiveness of world's petroleum source rocks [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 372-373.
- (P) Krupa, M.P., and Spencer, C.W., 1989, U.S. Geological Survey publications on western tight gas reservoirs: U.S. Department of Energy DOE/MC/20422 2677, 133 p.
- (P) Krystinik, L.F., and Schenk, C.J., 1989, The geologist's role in secondary and enhanced oil recovery projects in Rocky Mountain reservoirs, in Lorenz, J.C., and Lucas, S.C., eds., Energy frontiers in the Rockies: Albuquerque Geological Society, p. 121-129.
- (A) Kvenvolden, K.A., and Collett, T.S., 1989, Arctic gas hydrates and global climate [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 43, p. 1151.

- (A) Law, B.E., and Clarkson, G., 1989, Thermal maturity patterns and time-temperature modeling of Cretaceous and Tertiary rocks, San Juan Basin, Colorado and New Mexico [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1164.
- (0) Law, B.E., and Hussnain, T., 1989, Measured stratigraphic sections of the Lower Permian Nilawahan Group, Salt Range, Punjab Province, Pakistan: U.S. Geological Survey Open-File Report 89-464, 13 p.
- (P) Law, B.E., and Johnson, R.C., 1989, Structural and stratigraphic framework of the Pinedale anticline, Wyoming, and the Multiwell Experiment site, Colorado, Chapter B, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. B1-B11.
- (P) Law, B.E., Nuccio, V.F., and Barker, C.E., 1989, Kinky vitrinite reflectance profiles—Evidence of paleopore pressure in low-permeability gas-bearing sequences in Rocky Mountain foreland basins: American Association of Petroleum Geologists Bulletin, v. 73, no. 8, p. 999-1010.
- (P) Law, B.E., Nuccio, V.F., and Stanton, R.W., 1989, Evaluation of the source-rock characteristics, thermal maturation and pressure history of the Upper Cretaceous Cameo coal zone, Deep Seam well, Piceance basin, Colorado: University of Alabama and the Gas Research Institute Coalbed Methane Symposium 1989, Proceedings, p. 341-353.
- (P) Law, B.E., and Spencer, C.W., eds., 1989, Introduction to Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, Chapter A, p. A1-A7.
- (P) Law, B.E., Spencer, C.W., Charpentier, R.R., Crovelli, R.A., Mast, R.F., Dolton, D.L., and Wandrey, C.J., 1989, Estimates of gas resources in overpressured low-permeability Cretaceous and Tertiary sandstone reservoirs, Greater Green River basin, Wyoming, Colorado, and Utah, in Eisert, J.L., ed., Gas resources of Wyoming: Wyoming Geological Association Fortieth Field Conference Guidebook, p. 39-61.
- (P) Law, B.E., Spencer, C.W., Charpentier, R.R., Crovelli, R.A., Wandrey, C.J., Johnson, R.C., Nuccio, V.F., and Grout, M.A., 1989, Gas resource assessments—Greater Green River basin and Uinta basin, in Natural Gas R&D Contractors Review Meeting—Agenda, Project Synopsis, List of Participants, Morgantown, W. Va., April 1989: Morgantown, W. Va., U.S. Department of Energy, Office of Fossil Energy, Section 3a.1, 3 p.

- (P) Lee, M.W., 1989, Azimuthal vertical seismic profiles at the Multiwell Experiment site, northwest Colorado, Chapter 0, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. 01-016.
- (A) Lee, M.W., and Hutchinson, D.R., 1989, True-amplitude processing of GLIMPCE seismic reflection data--Techniques and uncertainties [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 15, p. 278.
- (P) Lickus, M.R., Pawlewicz, M.J., Law, B.E., and Dickinson, W.W., 1989,
 Thermal maturity patterns in the northern Green River basin,
 Wyoming, Chapter G, in Law, B.E., and Spencer, C.W., eds.,
 Geology of tight gas reservoirs in the Pinedale anticline area,
 Wyoming, and at the Multiwell Experiment site, Colorado: U.S.
 Geological Survey Bulletin 1886, p. G1-G5.
- (A) Magoon, L.B., 1989, The petroleum system--Status of research and methods, 1990 [abs.]: U.S. Geological Survey Bulletin 1912, p. 1.
- (P) Magoon, L.B., 1989, Identified petroleum systems within the United States--1990, in Magoon, L.B. ed., The petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 2-9.
- (P) Magoon, L.B., contributor, 1989, Oil and gas section in Bohn, Diedra, ed., 1988 annual report on Alaska's mineral resources: U.S. Geological Survey Circular 1023, 56 p.
- (P) Magoon, L.B., ed., 1989, The Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, 88 p.
- (A) Magoon, L.B., Bird, K.J., and Molenaar, C.M., 1989, Petroleum systems of the Arctic National Wildlife Refuge, northeastern Alaska--One of the remaining frontiers in U.S. petroleum exploration: 28th International Geological Congress, Washington, D.C., Abstracts, v. 2, p. 2-346.
- (A) Magoon, L.B., Collett, T.S., and Kvenvolden, K.A., 1989, Natural gas hydrate—A key to remigration on the Alaskan North Slope:
 14th International Meeting of the European Association of Organic Geochemists, Proceedings, Abstract no. 31.
- (A) Mast, R.F., 1989, Estimates of undiscovered recoverable conventional oil and gas resources of United States [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 387.

- (P) Mast, R.F., Dolton, G.L., Crovelli, R.A., Root, D.H., and Attanasi, E.D., U.S. Geological Survey; Martin, P.E., Cooke, L.W., Carpenter, G.B., Pecora, W.C., and Rose, M.B., Minerals Management Service, 1989, Estimates of undiscovered conventional oil and gas resources in the United States; a part of the Nation's energy endowment: Department of the Interior Special Publication, 44 p.
- (P) McKee, E.D., 1989, Sedimentary structures and textures of Rio Orinoco channel sands, Venezuela and Colombia, Chapter B, The waters and sediments of the Rio Orinoco and its major tributaries, Venezuela and Colombia: United States Geological Survey Water-Supply Paper 2326-B, B1-B23.
- (P) Meyer, R.F., 1989, Heavy oil and natural bitumen, in Magoon, L.B., ed., Petroleum system—Status of research and methods, 1990: U.S. Geological Survey Bulletin, 1912, p. 63-68.
- (P) Meyer, R.F., and Duford, Matthew, 1989, Resources of heavy oil and natural bitumen worldwide, in Meyer, R.F., and Wiggins, E.J., eds., UNITAR/UNDP International Conference on Heavy Crude and Tar Sands, Edmonton, August 1988, Proceedings, v. 2, Geology, Chemistry: Edmonton, Alberta, Canada, Alberta Oils Sands Technology and Research Authority, p. 277-307.
- (P) Michael, G.E., 1989, Effect of microbial alteration (biodegradation) on crude oils, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 59-62.
- (A) Milkereit, Bernd, Green, A.G., Lee, M.W., Agena, W.F., and Cannon, W.F., 1989, Special processing of GLIMPCE Lake Superior and Lake Huron reflection data [abs.]: EOS Transactions, American Geophysical Union, v. 70, no. 15, p. 278.
- (A) Molenaar, C.M., 1989, Stratigraphic cross sections of Upper Cretaceous rocks across the San Juan basin, northwestern New Mexico and southwestern Colorado [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1167.
- (A) Molenaar, C.M., 1989, Stratigraphy and correlation of middle Cretaceous rocks around the Uinta basin, northeastern Utah and northwestern Colorado [abs.]: American Association of Petroleum Geologists v. 73, no. 9, p. 1167.
- (P) Molenaar, C.M., 1989, The value of stratigraphic cross sections, in Magoon, L.B., ed., The petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 10-12.

- (P) Molenaar, C.M., compiler, 1989, San Juan Basin stratigraphic correlation chart, in Finch, W.I., Huffman, A.C., Jr., and Fassett, J.E., eds., Coal, uranium, and oil and gas in Mesozoic rocks of the San Juan basin--Anatomy of a giant energy-rich basin: 28th International Geological Congress, Washington, D.C., July 9-19, Guidebook for Field Trip T120, American Geophysical Union, plate 2.
- (M) Molenaar, C.M., and Baird, J.K., 1989, North-south stratigraphic cross section of Upper Cretaceous rocks, northern San Juan basin, southwestern Colorado: U.S. Geological Survey Miscellaneous Field Studies Map MF-2068, 3 sheets.
- (P) Naeser, N.D., and Naeser, C.W., 1989, The application of fission-track dating to the depositional and thermal history of rocks in sedimentary basins, in Naeser, N.D., and McCulloh, T.H., eds., Thermal history of sedimentary basins--Methods and case histories: New York, Springer-Verlag, Inc., p. 157-180.
- (P) Nuccio, V.F., and Barker, C.E., 1989, Application of thermal maturation studies to energy exploration, in Lorenz, J.C., and Lucas, S.G., eds., Energy frontiers in the Rockies: American Association of Petroleum Geologists Rocky Mountain Section, Transactions, p. 111-120.
- (P) Nuccio, V.F., Johnson, S.Y., and Schenk, C.J., 1989, Paleogeothermal gradients and timing of oil generation in the Bakken Formation, Eagle basin, northwestern Colorado: The Mountain Geologists, v. 26, no. 1, p. 31-41.
- (A) Obuch, R.C., and Takahashi, K.I., 1989, A bibliographic data base system—A case study [abs.]: Digital Equipment Computer Users, Spring '89 Symposium, Atlanta, Ga., Office Automation Special Interest Group (SIG), Session Notes, p. 239.
- (A) Obuch, R.C., Takahashi, K.I., Dyman, T.S., Gautier, D.L., and Colburn, H.Y., 1989, The Petroleum Geology Reference System (PGREF)—A computerized bibliographic reference system for research and exploration applications [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 396.
- (P) Palacas, J.G., Anders, D.E., King, J.D., and Lubeck, C.M., 1989, Use of biological markers in determining thermal maturity of biodegraded heavy oils and solid bitumens, in Meyer, R.F., and Wiggins, E.J., eds., UNITAR/UNDP International Conference on Heavy Crude and Tar Sands, 4th Edmonton, August 1988, Proceedings, v. 2, Geology, Chemistry: Edmonton, Alberta, Canada, Alberta Oil Sands Technology and Research Authority, p. 575-592.
- (A) Palacas, J.G., and Reynolds, M.W., 1989, Preliminary petroleum source rock assessment of Upper Proterozoic Chuar Group Grand Canyon, Arizona [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 397.

- (P) Pawlewicz, M.J., 1989, Thermal maturation of the eastern Anadarko basin, Oklahoma, Chapter C, in Evolution of sedimentary basins--Anadarko basin: U.S. Geological Survey Bulletin 1866-C, p. C1-C12.
- (P) Pawlewicz, M.J., and Barker, C.E., 1989, Vitrinite reflectance of outcrop samples of Tertiary coal across the surface of the northern Powder River basin, Wyoming-Montana: Montana Geological Society 1989 Centennial Conference Guidebook, p. 341-352.
- (A) Pearcy, E.C., and Burruss, R.C., 1989, The gold-organic matter association in the Hot Spring gold deposit at Cherry Hill, California [abs.]: 28th International Geological Congress, Washington, D.C., Abstracts, v. 2, p. 584.
- (A) Pearcy, E.C., and Burruss, R.C., 1989, Hydrocarbon fluids at the Hot Spring gold deposit, Cherry Hill, California: Pan American Conference on Research on Fluid Inclusions, Program with Abstracts, v. 2, p. 52.
- (A) Pedone, V.A., Cercone, K.R., and Burruss, R.C., 1989, Identification of inorganic and organic activators of photoluminescence in calcite by high resolution, laser microprobe spectroscopy [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 398.
- (A) Perry, W.J., Jr., 1989, Structural evolution of the southeastern portion of the Anadarko basin region [abs.], in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 77.
- (P) Perry, W.J., Jr., 1989, Tectonic evolution of the Anadarko basin region, Oklahoma: U.S. Geological Survey Bulletin 1866-A, p. A1-A19.
- (0) Perry, W.J., Jr., 1989, A review of the geology and petroleum resource potential of the Montana thrust belt with a section on Geology of potential Mississippian reservoir rocks, disturbed belt sector of the Montana thrust belt by K.M. Nichols: U.S. Geological Survey Open-File Report 88-450-C, 28 p.
- (P) Perry, W.J., Jr. Dyman, T.S., and Guthrie, G.E., 1989, Trip 2 roadlog--Tectonics and mid-Cretaceous rocks of southwest Montana recess of Cordilleran thrust belt, in French, D.E., and Grabb, R.F., eds., Geologic resources of Montana: Montana Geological Society 1989 Field Conference Guidebook, v. 2, p. 483-448.
- (P) Perry, W.J., Jr., Dyman, T.S., and Sando, W.J., 1989, Southwestern Montana recess of Cordilleran thrust belt, in French, D.E., and Grabb, R.F., eds., Geologic resources of Montana: Montana Geological Society 1989 Field Conference Guidebook, v. 1, p. 261-270.

- (P) Perry, W.J., Jr., and Suneson, N.H., 1989, Preliminary interpretation of a seismic profile across the Ouachita frontal zone near Hartshorne, Oklahoma, in Suneson, N.H., Campbell, J.A., and Tilford, M.J., eds., Geology and resources of the frontal belt of the western Ouachita Mountains, Oklahoma: American Association of Petroleum Geologists and Oklahoma Geological Survey Field Trip No. 2 Guidebook, p. 185-188.
- (P) Peterson, J.A., 1989, Future petroleum resource potential, northern Rocky Mountains--Great Plains region, in Lorenz, J.C., and Lucas, S.G., eds., Energy frontiers in the Rockies: Albuquerque Geological Society, p. 47-55.
- (A) Peterson, J.A., 1989, Aneth oil field carbonate mound reservoir--Organic-rich mudbank origin? [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 1, p. 1170. [Also 28th International Geological Congress, Washington, D.C., Abstracts, v. 2, p. 599].
- (A) Peterson, J.A., 1989, Future petroleum resource potential, northern Rocky Mountain-Great Plains area [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1170.
- (0) Peterson, J.A., 1989, Eastern Great Basin and Snake River downwarp, geology and petroleum resources: U.S. Geological Survey Open-File Report 88-450-H, 57 p.
- (P) Pitman, J.E., and Burruss, R.C., 1989, Diagenesis of hydrocarbon-bearing rocks in the Middle Ordovician Simpson Group, southeastern Anadarko basin, Oklahoma, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 134-142.
- (P) Pitman, J.K., Spencer, C.W., and Pollastro, R.M., 1989, Chapter G, Petrography, mineralogy, and reservoir characteristics of the Upper Cretaceous Mesaverde Group in the east-central Piceance basin, Colorado: U.S. Geological Survey Bulletin, 1787-G, p. G1-G31, 1 pl.
- (A) Pollastro, R.M., 1989, Clay minerals as geothermometers and indicators of thermal maturity—Application to basin history and hydrocarbon generation [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1171.
- (P) Pollastro, R.M., 1989, Mineralogic and textural relations in deeply buried rocks of the Simpson Group (Middle Ordovician)—
 Implications in diagenesis and petroleum geology, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 194-208.
- (P) Pollastro, R.M., 1989, Clays, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Bulletin 1912, p. 28-31.

- (P) Pollastro, R.M., 1989, Mineral composition, petrography and diagenetic modifications of lower Tertiary and Upper Cretaceous sandstones and shales, northern Green River basin, Wyoming, Chapter D, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. D1-D40.
- (P) Pollastro, R.M., and Schmoker, J.W., 1989, Relationship of clay-mineral diagenesis to temperature, age, and hydrocarbon generation—An example from the Anadarko basin, Oklahoma, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 257-261.
- (P) Prensky, S.E., 1989, Bibliography of well-log applications, October 1988-September 1989, annual update: The Log Analyst, v. 30, no. 6, p. 448-470.
- (P) Prensky, S.E., 1989, Gamma-ray well-log anomaly in the northern Green River basin of Wyoming, Chapter H, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. H1-H21.
- (0) Prensky, S.E., 1989, Catalog of gamma-ray logs for selected wells in the northern Green River basin, Wyoming--Presented as compressed depth-scale X-Y plots: U.S. Geological Survey Open-File Report 89-92, 184 p.
- (0) Prensky, S.E., 1989, Catalog of drilling-mud-weight histories for selected wells, northern Green River basin, Wyoming: U.S. Geological Survey Open-File Report 89-88, 213 p.
- (P) Price, L.C., 1989, Primary petroleum migration from shales with oxygen-rich organic matter: Journal of Petroleum Geology, v. 12, no. 3, p. 289-324.
- (0) Price, L.C., 1989, Hydrocarbon generation and migration from Type III kerogen as related to the oil window: U.S. Geological Survey Open-File Report 89-194, 41 p.
- (A) Reynolds, M.W., Palacas, J.G., and Elston, D.P., 1989, Potential petroleum source rocks in the Late Proterozoic Chuar Group, Grand Canyon, Arizona [abs.], in Elston, D.P., Billingsley, G.H., and Young, R.A., eds., Geology of Grand Canyon northern Arizona (with Colorado River guides): American Geophysical Union, 28th International Geological Congress Field Trip Guidebook T115/315, p.117.
- (A) Rice, D.D., and Clayton, J.L., 1989, Geochemistry of coal-generated hydrocarbons and source-rock potential of coal beds [abs.]:
 American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1171.

- (P) Rice, D.D., Clayton, J.L., and Pawlewicz, M.J., 1989, Characterization of coal-derived hydrocarbons and source-rock potential of coal beds, San Juan basin, New Mexico and Colorado, U.S.A., in Lyons, P.C., and others, eds., Coal: classification, coalification, mineralogy, trace-element chemistry, and oil and gas potential: International Journal of Coal Geology, v. 13, no. 1-4, p. 597-626.
- (A) Rice, D.D., Epsman, M.L., and Mancini, E.A., 1989, Origin of conventional and coalbed gases in the Black Warrior basin region, northwestern Alabama [abs.]: University of Alabama School of Mines and Energy Development, Gas Research Institute, U.S. Department of Labor Mine Safety and Health Administration, Geological Survey of Alabama, and the University of Alabama College of Continuing Studies, Coalbed Methane Symposium Proceedings, p. 321.
- (A) Rice, D.D. and Flores, R.M., 1989, Nature of natual gas in anomalously thick coal beds, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1172.
- (A) Rice, D.D., and Keighin, C.W., 1989, Configuration of shelf sandstone oil reservoirs, Upper Cretaceous (Turonian) Turner Sandy Member of Carlile Shale, Powder River basin, Wyoming [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 405.
- (P) Rice, D.D., Threlkeld, C.N., and Vuletich, A.K., 1989,
 Characterization and origins of natural gases of the Anadarko
 basin, in Johnson K.S., ed., Anadarko Basin Symposium, 1988:
 Oklahoma Geological Survey Circular 90, p. 47-52.
- (P) Robbins, S.L., 1989, Borehole gravimetry reviews: U.S. Geological Survey Circular 890, 64 p.
- (A) Root, D.H., Attanasi, E.D., and Masters, C.D., 1989, Evolution of oil and gas recovery in the United States [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1144.
- (A) Roure, Francois, and Howell, D.G., 1989, Deformational styles of uncompacted sediments related to the formation of Late Cenozoic melanges, Sicily and southern Appennine: Geological Society of America Abstracts with Programs, v. 21, no. 6, p. A367.
- (P) Ryder, R.T., Lee, M.W., Agena, W.F., and Anderson, R.C., 1989, Seismic profile through Patrick Draw-Table Rock area, east flank, Rock Springs uplift, Wyoming: Wyoming Geological Association Fortieth Field Conference Guidebook, p. 209-229.

- (P) Schenk, C.J., 1989, Petrography and diagenesis of the bitumen and heavy-oil-bearing White Rim Sandstone Member of the Cutler Formation (Permian), Tar-Sand Triangle area, southeastern Utah, in Meyer, R.F., and Wiggins, E.J., eds., International Conference on Heavy Crude and Tar Sands, 4th, Edmonton, August 1988, Proceedings, v. 2, Geology, Chemistry: Edmonton, Alberta, Canada, Alberta Oil Sands Technology and Research Authority, p. 155-172.
- (A) Schenk, C.J., and Krystinik, L.F., 1989, Heterogeneity of eolian sandstones and enhanced oil recovery [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1173.
- (P) Schmoker, J.W., 1989, Thermal maturity of the Anadarko basin, <u>in</u> Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 25-31.
- (A) Schmoker, J.W., and Gautier, D.L., 1989, Compaction of basin sediments as a function of time-temperature history [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 410.
- (P) Schmoker, J.W., and Gautier, D.L., 1989, Reply (to S.N. Ehrenberg) concerning "Sandstone porosity as a function of thermal maturity": Geology, v. 17, no. 9, p. 867-868.
- (P) Schmoker, J.W., and Gautier, D.L., 1989, Compaction of sediments—modeling based on time-temperature history: Journal of Geophysical Research, v. 94, no. B6, p. 7379-7386.
- (P) Schmoker, J.W., and Gautier, D.L., 1989, Porosity, in Magoon, L.B., ed., Petroleum system--Status of research and methods, 1990: U.S. Geological Survey Bulletin 1912, p. 25-27.
- (P) Schmoker, J.W. and Hester, T.C., 1989, Formation resistivity as an indicator of the onset of oil generation in the Woodford Shale, Anadarko basin, Oklahoma, in Johnson, K.S., ed., Anadarko Basin Symposium, 1988: Oklahoma Geological Survey Circular 90, p. 262-266.
- (A) Schmoker, J.W., and Hester, T.C., 1989, Regional trends of sandstone porosity versus vitrinite reflectance—a preliminary framework [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 9, p. 1173-1174.
- (P) Schmoker, J.W., and Hester, T.C., 1989, Oil generation inferred from formation resistivity—Bakken Formation, Williston basin, North Dakota: Society of Professional Well Log Analysts, Thirtieth Annual Logging Symposium Transactions, v. 1, p. H1-H16.

- (A) Schmoker, J.W., and Hester, T.C., 1989, Oil generation inferred from formation resistivity--Bakken Formation, North Dakota [abs.]: The Log Analyst, v. 30, no. 2, p. 100.
- (P) Shurr, G.W., Anna, L.O., and Peterson, J.A., 1989, Zuni sequence in Williston basin--Evidence for Mesozoic paleotectonism: American Association of Petroleum Geologists Bulletin, v. 73, no. 1, p. 68-87.
- (P) Spencer, C.W., 1989, Review of characteristics of low-permeability gas reservoirs in western United States: American Association of Petroleum Geologists Bulletin, v. 73, no. 5, p. 613-629.
- (P) Spencer, C.W., 1989, Comparison of overpressuring at the Pinedale anticline area, Wyoming, and the Multiwell Experiment site, Colorado, Chapter C, in Law, B.E., and Spencer, C.W., eds., Geology of tight gas reservoirs in the Pinedale anticline area, Wyoming, and at the Multiwell Experiment site, Colorado: U.S. Geological Survey Bulletin 1886, p. C1-C16.
- (A) Spencer, C.W., Law, B.E., Johnson, R.C., and Crovelli, R.A., 1989, Western tight gas reservoirs—Resources for the future [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 414.
- (A) Stanley, R.G., Flores, R.M., and Wiley, T.J., 1989, Contrasting depositional styles in Tertiary fluvial deposits of the Nenana coal field, central Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 73, no. 3, p. 415.
- (P) Tennyson, M.E., 1989, Pre-transform early Miocene extension in western California: Geology, v. 17, no. 9, p. 792-796.
- (P) Tysdal, R.G., Dyman, T.S., and Nichols, D.J., 1989, Lower Cretaceous bentonitic strata in southwestern Montana assigned to Vaughn Member of Mowry Shale (east) and of Blackleaf Formation (west): The Mountain Geologist, v. 26, no. 2, p. 53-61.
- (M) Tysdal, R.G., Dyman, T.S., and Nichols, D.J., 1989, Correlation chart of Lower Cretaceous rocks, Madison Range to Lima Peaks area, southwestern Montana: U.S. Geological Survey Miscellaneous Field Studies Map MF 2067, 1 sheet, 15 p.
- (P) U.S. Department of Interior, Geological Survey and Minerals Management Service, 1989, Estimates of undiscovered conventional oil and gas resources in the United States--A part of the Nation's energy endowment: U.S. Department of the Interior Special Publication, 44 p.
- (0) Underwood, M.B., Laughland, M.M., Wiley, T.J., and Howell, D.G.,1989, Thermal maturity and organic geochemistry of the Kandik basin region, east-central Alaska: U.S. Geological Survey Open-File Report 89-353, 41 p.

- (0) Vedder, J.G., Howell, D.G., and McLean, Hugh, 1989, Geologic map of Chimmey Canyon Quadrangle and part of Huasna Peak Quadrangle, California: U.S. Geological Survey Open-File Report 89-161, 1 oversize sheet, scale 1:24,000.
- (0) Vedder, J.G., Howell, D.G., and McLean, Hugh, 1989, Geologic map of Miranda Pine Mountain Quadrangle and part of Taylor Canyon Quadrangle, California: U.S. Geological Survey Open-File Report 89-469, 1 oversize sheet, scale 1:24,000.
- (P) von Huene, Roland, Bourgois, Jacques, Miller, J.J., and Pautot, Guy, 1989, A large tsunamogenic landslide and debris flow along the Peru Trench: Journal of Geophysical Research, v. 94, B6, no. 2, p. 1703-1714.
- (0) Wallace, L.G., and Roen, J.B., 1989, Petroleum source rock potential of the Upper Ordovician black shale sequence, northern Appalachian basin: U.S. Geological Survey Open-File 89-488, 66 p.
- (0) Wandrey, C.J., 1989, Lineament map of part of the Southern Ute Reservation, San Juan basin, southwest Colorado: U.S. Geological Survey Open-File Report 89-112, 1 oversize sheet, scale 1:100,000.